

nsk water pump bearing cad model

Our company offers different nsk water pump bearing, nsk bearing catalogue, water pump bearing size chart, skf water pump bearing at Wholesale Price? Here, you can get high quality and high efficient nsk water pump bearing

NSK water pump bearings - Nodes bearing NSK water pump bearings come in two types. One is a Ball type (BWF) and the other is a Ball Roller type (RWF). The Ball Roller type design offers a much

Nsk Water Pump Bearings 5927 products - China Nsk Water Pump Bearings manufacturers - Select 2019 high quality Nsk Water Pump Bearings products in best price from certified Chinese Untitled - Water Pump Rebuilding High durability NSK water pump bearings support the advancement of engines. proved bearings are the NSK high durability water pump bearings. We would

| @@@@@@@@ | | | | | | | | |
|--|-------|--------|---|---|---|---|---------|---|
| | E | L | m | r | u | h | Z | t |
| K5x8x10 TN cage | 22 mm | - | - | - | - | - | 70.3 mm | - |
| K75*83*2 3 | - | 108 mm | - | - | - | - | - | - |
| K80*88*2 7 | - | 84 mm | - | - | - | - | - | - |
| K81210-T V | - | - | - | - | - | - | - | - |
| K8x11x10 | - | - | - | - | - | - | - | - |
| KASK08 | - | 110 mm | - | - | - | - | - | - |
| KB 040-P P-AS(with hole) | - | - | - | - | - | - | - | - |
| KB 040-P P-AS(with out hole) | - | - | - | - | - | - | - | - |
| KB 0825 PP | - | - | - | - | - | - | - | - |
| KB 1232 PP | - | 95 mm | - | - | - | - | - | - |
| KB 1636 PP | - | - | - | - | - | - | - | - |
| KB 1636 PP | 15 mm | - | - | - | - | - | 24.5 mm | - |
| KB 1636 PP | - | - | - | - | - | - | - | - |
| KB 2558 | - | - | - | - | - | - | 48.7 mm | - |

| | | | | | | | | |
|------------------------------|----------|--------|---|---|---|---|---------|--------|
| PP | | | | | | | | |
| KB 3068 PP | - | 99 mm | - | - | - | - | - | - |
| KB25-PP | - | - | - | - | - | - | - | - |
| KB3068P P | - | 139 mm | - | - | - | - | - | - |
| KB50-PP-AS | - | 240 mm | - | - | - | - | - | - |
| KBO3068.PPAS | - | - | - | - | - | - | - | 1.8 mm |
| KBS 6012 5 | - | - | - | - | - | - | - | - |
| KH 1026 | - | - | - | - | - | - | - | - |
| KH 1026/P/PP | 25 mm | 140 mm | - | - | - | - | - | - |
| KH 1630 PP | - | - | - | - | - | - | - | - |
| KH 1630/P/PP | - | - | - | - | - | - | - | - |
| KH 2540 | - | - | - | - | - | - | - | - |
| KH 2540 PP | - | 92 mm | - | - | - | - | - | - |
| KH 25-PP | - | 76 mm | - | - | - | - | - | - |
| KH 3050 | - | - | - | - | - | - | - | 2.2 mm |
| KH 3050 PP | - | - | - | - | - | - | 92.3 mm | - |
| KH 4060 PP | - | - | - | - | - | - | - | - |
| KH 1630 PP | - | 113 mm | - | - | - | - | - | - |
| KH 25 PP | 118.5 mm | - | - | - | - | - | - | - |
| KH 2540 P/PP | - | - | - | - | - | - | - | - |
| KH1026/P PP | - | - | - | - | - | - | - | - |
| KH1026P P | - | - | - | - | - | - | 17.2 mm | - |
| KH10PP | - | - | - | - | - | - | - | - |
| KH1228/P PP | - | - | - | - | - | - | - | - |
| KH1228P P | - | - | - | - | - | - | - | - |
| KH12PP | - | - | - | - | - | - | - | - |
| KH12-PP | - | - | - | - | - | - | - | - |
| KH1428 PP | - | - | - | - | - | - | - | - |

| | | | | | | | | |
|--------------------------|--------|--------|-------|-----|-------|-------|---|---|
| KH1428P | 133 mm | - | - | - | - | - | - | - |
| P | | | | | | | | |
| KH1630/P | - | - | - | - | - | - | - | - |
| /PP | | | | | | | | |
| KH1630P | - | - | - | - | - | - | - | - |
| P | | | | | | | | |
| KH1630-P | - | - | - | - | - | - | - | - |
| P | | | | | | | | |
| KH2030 P | - | - | - | - | - | - | - | - |
| P/KH20-P | | | | | | | | |
| P INA | | | | | | | | |
| KH2030P | - | - | - | - | - | - | - | - |
| P | | | | | | | | |
| KH20-PP | - | - | - | - | - | - | - | - |
| KH2540P | - | - | - | - | 15 mm | 60 mm | - | - |
| P | | | | | | | | |
| KH3050 | - | - | 12 mm | 2.5 | - | - | - | - |
| KH3050P | - | - | - | - | - | - | - | - |
| P | | | | | | | | |
| KH30-PP | - | 163 mm | - | - | - | - | - | - |
| KH30-PP | - | - | - | - | - | - | - | - |
| KH-4060- | - | - | - | - | - | - | - | - |
| A | | | | | | | | |
| KH4060P | - | - | - | - | - | - | - | - |
| P | | | | | | | | |
| KLN 1545 | - | - | - | - | - | - | - | - |
| 2RSP2 | | | | | | | | |
| KN 1232 | - | - | - | - | - | - | - | - |
| PP | | | | | | | | |
| KN 2045 | - | - | - | - | - | - | - | - |
| PP | | | | | | | | |
| KN 1232 | - | - | - | - | - | - | - | - |
| PP | | | | | | | | |
| KN 30 B- | - | - | - | - | - | - | - | - |
| PP | | | | | | | | |
| kn 40 pp | - | - | - | - | - | - | - | - |
| as | | | | | | | | |
| KN1232P | - | - | - | - | - | - | - | - |
| P | | | | | | | | |
| KN1636P | - | - | - | - | - | - | - | - |
| P | | | | | | | | |
| KR 16 PP | - | - | - | - | - | - | - | - |
| KR 16 | - | - | - | - | - | - | - | - |
| PPA | | | | | | | | |
| KR 16 | - | 130 mm | - | - | - | - | - | - |
| PPSK | | | | | | | | |

| | | | | | | | | |
|------------------------------|------|--------|---|---|---|---|---------|---|
| KR 16 PPX | - | 135 mm | - | - | - | - | - | - |
| KR 19 PP | - | - | - | - | - | - | - | - |
| KR 19 PP | 9 mm | 70 mm | - | - | - | - | - | - |
| KR 22 PPX | - | - | - | - | - | - | - | - |
| KR 26 | - | - | - | - | - | - | - | - |
| KR 32 PPX | - | - | - | - | - | - | - | - |
| KR 40 | - | - | - | - | - | - | - | - |
| KR 47 PP | - | - | - | - | - | - | 55.7 mm | - |
| KR 52 PPA | - | 232 mm | - | - | - | - | - | - |
| KR 22 PP | - | 206 mm | - | - | - | - | - | - |
| KR 62 PP | - | - | - | - | - | - | - | - |
| KR16 | - | - | - | - | - | - | - | - |
| KR-16-PP A | - | 108 mm | - | - | - | - | - | - |
| KR19 | - | 80 mm | - | - | - | - | - | - |
| KR19-PP | - | - | - | - | - | - | - | - |
| KR-19-PP | - | - | - | - | - | - | - | - |
| KR19-PP A | - | - | - | - | - | - | - | - |
| KR19-PP-A A | - | - | - | - | - | - | - | - |
| KR19-PP SK-A | - | - | - | - | - | - | - | - |

UntitledNSK Water Pump Bearings. • High durability for powerful engines. • High reliability through a newly developed water resistant seal. • Improved grease

Engine Parts - NSKNSK's engine and engine-driven accessory bearings have a successful in a number of applications from A/C compressors to water pumps or belt pulleysNSK - 885165 - Motion IndustriesNSK 885165. Water Pump Bearing - Double Sealed, 0.6267 in Shaft, 1.1811 in OD, 2.8900 in Overall Length, Sealed. Mi Item #: 00075466. 0 Reviews - Be the

| @@@@@@@@ | | | | |
|-----------------------------|----------------------------------|---|------------------------------------|----------------------------------|
| INA | FAG | Timken | ISO | FYH |
| T691 P5 | X30212M/Y30212 M | ZB-28515=N-2504 -B | NP460743/NP266 185 | SEALS 25X47X7 |
| T7010V90011 | X30213M/Y30213 M | ZB-7120 N-2802-B | NP505911/NP068 792 | SET 9 U298/U261L |
| T711 | X30307M | ZB-7370 / Timken N2672-B / FAG10-6419 | NP516946/037463 | SET124 |
| T88 | X30309M | ZB-7370/N2672-B | NP559445/NP945 | SET811-900SA |

| | | | | |
|---|---|--|--|---------------------------------------|
| | | | 727 | |
| T911 | X30311M | ZB-7873 24040EJW33C3 | NP604623/NP577 617 | SleeveIR506032 |
| T92 | X30312 - Y30312 | ZB-8253=N-2759- B | NP622975/H9138 10 | SMR85ZZ |
| T921 | X30313M | ZT-13127 /HM261 049/HM261010CD +HM261049XA | NP656227/NP896 049 | SNT 522- 619 |
| T-921 | X31308/Y31308 | ZT14500 - Torrington 145TD6 11C0167G10/HM2 65049-90068 | NP683345/NP119 178 | SNT3140 |
| TDO 48393-48320D | X31314 | ZT-14500 /Timken HM265049-90068 | NP683345-NP119 178 | SR C 6912-NS |
| TDO 484/472D XIS | X32010M | ZT-14500/HM2650 49-90068 | NP725688/NP560 412 | T 151 |
| TDO 74525/74851CD | X32010M/Y32010 M | 22218 E1-K | NP846736/NP166 419 | T 177 |
| TDO HM237545/5 10CD+XC | X32010XM | 22218 E1KC3 | NP895655/JW701 0 | T 199 |
| TDO 484/472D XI S 15484 | X32021X/Y32021 Y | 22218 E1-XL-K-C3 | NP925485/NP312 842 | T 201 |
| TE 795/ TE 792 | X32030M | 22218 E1AMC3 | NP925485/NP571 239 | T 661 |
| TE 9285/TE9220 | X32036XM | 22218 E1C3 | NT522-619+2XSR 200X13.5+2XTA52 2 | T 811 |
| TIM 39243DE | X32044XM/Y3204 4XM | 22218 E1-XL-K-C3 | NTA-2233 | T 921 |
| Timken T101 | X32056XM | 22218C3 | NTA2435 | T 921 QJ |
| Timken TDO 357/353D | X32216 | 22218-E1 | NTA-3244+2TRD | T 214 |
| TKR 2562 | X32217M | 22218-E1/C3 | NTA-4860 | T 7 FC 060 QCL7 C |
| TNA593-T592D | X32218M | 22218-E1AK MC3 | NU 2220 EMA | T 7FC 050 QCL7C |
| TRA181504 | X32220 – Y32220 | 22218E1K | NU 2226EMA C3 | T10100V |
| TS 3979/3920 | X32232-Y32232 | 22218-E1-K C3 | NU 2244 EMA C3 | T101W |
| TS 436/432 | X32312/Y32312 | 22219 E1AMC3 | NU 2311 EM | T107 |
| TS 593/592D (155 93) | X32940M- Y32940M+Spacer | 22219-E1 C3 | NU 2344 EMA C3 | T1120 |
| TS25580/TS25522 | X33012 - Y33012 | 22219-E1-K | NU 248 MC3 | T1120-902A1 |
| TS25878/TS25820 | X33020/Y33020 | 22219-E1K C3 | NU 415 | T113 |
| TS3386/TS3320 | X33022/Y33022 | 22220 E1 | NU 264 M | T119 |
| TS529/TS522 | X33109/Y33109 | 22220 E1 C3 | NU1056MA | T119W |
| TTHD T2520 | X33205/Y33205 | 22220 E1 C3 | NU2203ECM | T126 |
| U298/260L W | X33209 | 22220 E1.K.C3 | NU2216-E-TVP | T126W |

| | | FAG | | |
|--------------------------------------|---|--|---|--------------------------------------|
| U399/360L | X33210 - Y33210 | 22220 E1A-M | NU2226 EMA | T127W |
| U399/360L W | X33216 | 22220 ES | NU2226EMAC3 | T127-W |
| U460L | X33220 | 22220 K | NU2248EXM1A | T138 |
| U497/460L | XC 2379 C | 22220 E1AMC3 | NU-226-EMAC3 | T139 |
| UC 207 | XC 2379 CD | 22220 E1C3 | NU228EMA | T144 |
| UC204 | XLJ 4 3/4 | 22220E | NU2313EMA | T149 |
| UC205 | XR 678052 | 22220-E1 | NU234EMAC3 | T151 |
| UC210-32 | XR 855053-1pcs | 22220E1.C3 | NU2368EMA M8 CN0005172233 | T151W |
| UCF205 | XR 678052 | 22220-E1-AM | NU320EMAC3 | T163 |
| UCF206 | XR 855053 | 22220-E1A-XL MT41 | NUP 5219- NP3219 M | T182 |
| UCF207 | XR496051-905A1 | 22220E1C3 | NUP209EG | T199 |
| UCF208 | XR678052 | 22220E1-C3 | NUP2216-E-TVP | T202W-904A3 |
| UCF210 | XR766051 | 22220-E1-C3 | NUP29/710 | T441 |
| UCF212 | XR-766051 | 22220E1K | NURT 30 | T-441 |
| UCF216 | XR855053 | 22220-E1-K | NUTR 17DZ | T441-902A2 |
| UCF315 | XR889058 | 22220-E1-K Roll | OH3284H | T4CB120 |
| UCFC 207 | XR-88-9058 | 22220-E1-XL-C4 | P/N 9386H | T594-T592D |
| UCP206 | XR889058 | NA 596 SW | P-2138-A | T64450/T64700D |
| UCP207-20 | XR897051 | NA 691/672D | Pinion A-5228-WS R6 | T651 |
| UCP-210-31 | XY 30204 M | NA 74525/74851 D | QJ213MPA-VTC | T661 902A1 |
| UCP212 | XY 30206 M | NA 759 SW | QJ248N2MPA | T687/T682D |
| UCP-212-39 | XY 32044 XM | NA 8575 SW/8520D | RA 100 RR | T691 P5 |
| UCP315 | Y 32206 M | NA 46790-SW / 4 6720-D | RA012PP | T7010V90011 |
| W203PP | Y30204M/X30204 M | NA 74525/74851 D | RA-100-NPP | T711 |
| W204PP | "Y30213M CUP/ X30213M CONE" | NA 782/774D | RA-102-NPP | T88 |
| W208KPP53 | | NA15117SW-9003 2 | RA106RR | T911 |
| W-208-KPP-53 | Y30213M CUP/X3 0213M CONE | NA15117SW-9014 7 | RA108RR | T92 |
| W208PP10 | Y30306M/X30306 M | NA366 | RA112RRB (AE12601) | T921 |
| W208PP21 (AE46606) | Y32017X | NA-46790 SW/6720 D | RA207-106 | T-921 |
| W208PPB5 | Y32036XM | NA46790SW/4672 0 CD | RA35 PP + COLL | TDO 48393-48320D |
| W-211-PP2 | Y32220M | NA46790SW/4672 0 CD | RA35RR | TDO 484/472D XIS |
| W306PP | Y32309BRM | NA46790SW/4672 | RAE 207-106 | TDO |

| | | | | |
|----------------------------------|--|---|----------------------------------|---|
| | | 0CD | | 74525/74851CD |
| WB000035 | Y33218X | NA46790-SW/46720CD | RAE 35 RR +COL L | TDO HM237545/510CD+XC |
| X 31308/ Y 31308 | YAR 210 | NA46790SW/46720D | RAL 012-NPP | TDO 484/472D XI S 15484 |
| X 32312 | YCJT 5/8 | NA476 | RAL012NPP | TE 795/ TE 792 |
| X30205M | YCRS-24 | NA48290SW | RAL-012-NPP | TE 9285/TE9220 |
| X30206M | YCRS-48 | NA48290SW/48220D | RAL-012-NPP | TIM 39243DE |
| X30212M/Y30212M | YCRSC-12 | NA48290SW/48220D | RAL-100-NPP | Timken T101 |
| X30213M/Y30213M | ZB-10236 = 24052 YMW33W45AC3 | NA48393SW/483250D | RAL103NPPB | Timken TDO 357/353D |
| X30307M | ZB-15000 | NA483SW/K100019/K88208 | RAO1 11/16 | TKR 2562 |
| X30309M | ZB-15000=150TD OC8663DC1953G 6 | NA483-SW-472D | RC162110 | TNA593-T592D |
| X30311M | ZB-26250 / Timken N2653-B / FAG 549350 | NA48685SW /48620D | RCB 101416 | TRA181504 |
| X30312 - Y30312 | ZB-26250/N2653-B | NA48685SW/48620CD | RCB-081214 | TS 3979/3920 |
| X30313M | ZB-28515=N-2504-B | NA48685SW/48620D | S-4790-A | TS 436/432 |
| X31308/Y31308 | ZB-7120 N-2802-B | NA48990SW-48920D | S8K | TS 593/592D (15593.) |
| X31314 | ZB-7370 / Timken N2672-B / FAG10-6419 | NA497SW-90235/ NA497-SW (2)/K312462 (1)/K109596 (2) | SEALS 15X28X6 | TS25580/TS25522 |
| X32010M | ZB-7370/N2672-B | NA52375/52637D | SEALS 20X42X7 | TS25878/TS25820 |
| X32010M/Y32010M | ZB-7873 24040EJW33C3 | NA56425 SW /56650 CD | SEALS 25X47X7 | TS3386/TS3320 |
| X32010XM | ZB-8253=N-2759-B | NA56425-SW | SET 9 U298/U261L | TS529/TS522 |
| X32021X/Y32021Y | ZT-13127 /HM261049/HM261010CD +HM261049XA | NA56425SW/56650CD | SET124 | TTHD T2520 |
| X32030M | ZT14500 - Torrington 145TD6 11C0167G10/HM2 65049-90068 | NA56425SW/56650D | SET811-900SA | U298/260L W |
| X32036XM | ZT-14500 /Timken HM265049-90068 | NA56425-SW-56650D | SleeveIR506032 | U399/360L |
| X32044XM/Y3204 | ZT-14500/HM2650 | NA593SW/592D | SMR85ZZ | U399/360L W |

| | | | | |
|--------------------------|----------------------------------|---|------------------------------|---------------------------|
| 4XM | 49-90068 | | | |
| X32056XM | 22218 E1-K | NA596SW/572D | SNT 522- 619 | U460L |
| X32216 | 22218 E1KC3 | NA67791SW/6772 0CD | SNT3140 | U497/460L |
| X32217M | 22218 E1-XL-K-C3 | NA67885SW/6782 0CD | SR C 6912-NS | - |
| X32218M | - | NA67885-SW/678 20CD | T 151 | - |
| - | - | NA691/672D | T 177 | - |
| - | - | NA6915A.R200.25 0.S3.HT30.L225 | - | - |

Water pump bearings-Automotive Bearings-KML BearingsKML products are widely used in automobile,motorcycle,appliances,agricultural machinery,medicine,food and beverage processing,mining,energy,engineering : NSK 885586 Water Pump Bearings: IndustrialNSK makes great bearings. I bought this to use for my 1993 Jeep Cherokee as a fan shaft. The shaft is too long on one end, but I was able to easily cut it to the

Bearings | Catalogs and CAD drawings | Services | NSK GlobalRolling Bearings for Industrial Machinery : Part A Technical Information. Cat No. E1103 Part B High Durability NSK Water Pump Bearings. Cat No. E1206Nsk Water Pump Bearing - Alibaba708 products - Alibaba.com offers 708 nsk water pump bearing products. About 21% of these are deep groove ball bearing, 5% are other bearings, and 1% are