




NTN-BOWER LTD.



30,000 mm x 62,000 mm x 16,000 mm NTN NJ206 JAPAN Bearing

Bearing No. NJ206

NJ206 Bearing 2D drawings and 3D CAD models

Size	30x62x16 mm
Bore Diameter	30,000 mm
Outer Diameter	62,000 mm
Width	16,000 mm
d	30,000 mm
D	62,000 mm
B	16,000 mm
C	16,000 mm
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.211
EAN	4547359117301
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes



NTN-BOWER LTD.

Relubricatable	Yes
Inch - Metric	Metric
Other Features	1 Rib Inner Ring 2 Rib Outer Ring Cage On Outer Ring ID
Long Description	30MM Bore; Straight Bore Profile; 62MM Outside Diameter; 16MM Width; Steel Cage Material; RBEC 1 ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	NJ206
Weight / LBS	0.466
Bore	1.181 Inch 30 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter
Width	0.63 Inch 16 Millimeter
bore diameter:	30 mm
precision rating:	ISO Class 0
outside diameter:	62 mm
maximum rpm:	14000 rpm
overall width:	16 mm
bearing material:	Hardened Alloy Steel
flanges:	(2) Outer Ring, (1) Inner Ring
cage material:	Pressed Steel
bore type:	Straight
finish/coating:	Uncoated



NTN-BOWER LTD.

number of rows:	1
closure type:	Open
internal clearance:	CN
outer ring width:	16 mm
ring separation:	Separable Outer Ring
fillet radius:	1 mm
operating temperature range:	-40 to 120 ° C
series:	N
dynamic load capacity:	39000 N
manufacturer product page:	Click here
static load capacity:	37500 N