




## NTN-BOWER LTD.



### 35,000 mm x 80,000 mm x 21,000 mm NTN NJ307 JAPAN Bearing

Bearing No. NJ307

NJ307 Bearing 2D drawings and 3D CAD models

Size	35x80x21 mm
Bore Diameter	35,000 mm
Outer Diameter	80,000 mm
Width	21,000 mm
d	35,000 mm
D	80,000 mm
B	21,000 mm
C	21,000 mm
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.491
EAN	4547359122664
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes



## NTN-BOWER LTD.

Relubricatable	Yes
Inch - Metric	Metric
Other Features	1 Rib Inner Ring   2 Rib Outer Ring   Cage On Outer Ring ID
Long Description	35MM Bore; Straight Bore Profile; 80MM Outside Diameter; 21MM Width; Steel Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	NJ307
Weight / LBS	1.085
Bore	1.378 Inch   35 Millimeter
Outside Diameter	3.15 Inch   80 Millimeter
Width	0.827 Inch   21 Millimeter
bore diameter:	35 mm
static load capacity:	71000 N
outside diameter:	80 mm
precision rating:	ISO Class 0
overall width:	21 mm
maximum rpm:	9600 rpm
flanges:	(2) Outer Ring, (1) Inner Ring
bearing material:	Hardened Alloy Steel
bore type:	Straight
cage material:	Pressed Steel



## NTN-BOWER LTD.

number of rows:	1
finish/coating:	Uncoated
internal clearance:	CN
closure type:	Open
operating temperature range:	-40 to 120 ° C
fillet radius:	1.5 mm
dynamic load capacity:	71000 N
manufacturer product page:	<a href="#">Click here</a>